

MATLAB 101

Author: [Seung-Sup Lee](#)

We explain the basics of MATLAB. The strengths of the MATLAB are

- Intuitive and efficient linear algebra operations.
- Supports tons of mathematical functions.
- Platform independent.
- Many toolboxes (e.g., parallel computing, signal processing, big data, ...)
- Graphic user interface.
- Powerful editor, debugger, and profiler.
- Supports compiler.
- Last but not least: the QSpace tensor network library, which will be used later in this course when discussing symmetries, runs on MATLAB.

Try the following commands, by (i) clicking [Live Editor](#), then [Run Section](#) (keyboard shortcut: Ctrl+Enter) (ii) typing into the command window or by (iii) writing your own MATLAB script (.m file) and running the script. (Note that the script should be under `Work` directory)

For this tutorial, there is no exercise problem. Experienced users of MATLAB may skip this tutorial, and move on to the next tutorials.

Initialization

First, clear memory to avoid any possible collision.

```
clear % clear memory
```

Basic algebra

Algebra for numbers. MATLAB basically uses double type variables. In practice, this policy helps us to avoid data conversion mistakes (which frequently happen in, e.g., C programming).

```
A = 1; % assign A = 1
B = 2; % assign B = 2
A+B
```

```
ans = 3
```

```
A-B
```

```
ans = -1
```

```
A*B
```

```
ans = 2
```

```
A/B
```

```
ans = 0.5000
```

Also there are some predefined constants.

```
i % imaginary number \sqrt{-1}
```

```
ans =  
0.0000 + 1.0000i
```

```
1i % the same
```

```
ans =  
0.0000 + 1.0000i
```

```
pi % pi
```

```
ans = 3.1416
```

e is not a predefined constant.

```
e % doesn't work
```

When a line in a section contains an error, as here, subsequent lines are not executed. Therefore, fix the error (here: comment it out) to be able to proceed.

```
exp(1) % Euler constant
```

```
ans = 2.7183
```

For unusual calculations, MATLAB also supports `Inf` (infinity) and `NaN` (not-a-number).

```
1/0 % + infinity
```

```
ans = Inf
```

```
-1/0 % - infinity
```

```
ans = -Inf
```

```
0/0 % not-a-number
```

```
ans = NaN
```

To suppress displaying result, put `;` at the end of command.

```
A = 1; B = 2;  
C = A+B % substitute to C
```

```
C = 3
```

```
C = A+B; % suppress displaying result by putting ';' to the end
```

Vectors and matrices

We can create vectors and matrices.

```
A = [1 2 3] % row vector
```

```
A =  
    1     2     3
```

```
A = [1,2,3] % row vector (space and , work in the same way)
```

```
A =  
    1     2     3
```

```
A = [1;2;3] % column vector
```

```
A =  
     1  
     2  
     3
```

```
A = [1 2; 3 4] % matrix
```

```
A =  
     1     2  
     3     4
```

The vector whose elements constitute the arithmetic series can be generated easily.

```
A = (1:3) % row vector, arithmetic series
```

```
A =  
    1     2     3
```

```
A = (1:3:10) % step size = 3, for entry <= 10
```

```
A =  
    1     4     7    10
```

```
A = (10:12:100) % starting term can be different
```

```
A =  
    10    22    34    46    58    70    82    94
```

```
A = (1:3:2) % 1
```

```
A = 1
```

```
A = (1:3:0) % empty
```

```
A =  
  
1×0 empty double row vector
```

```
A = (1:-3:-10) % also negative step size possible
```

```
A =  
    1    -2    -5    -8
```

Functions are available for generating common types of vectors, matrices, and multi-dimensional arrays with specified sizes.

```
A = rand(3,2) % 3*2 matrix with random elements in interval (0,1)
```

```
A =  
    0.1781    0.5219  
    0.3596    0.3358  
    0.0567    0.1757
```

```
A = ones(3,2) % 3*2 matrix with all ones
```

```
A =  
    1    1  
    1    1  
    1    1
```

```
A = zeros(3,2) % 3*2 matrix with all zeros
```

```
A =  
    0    0  
    0    0  
    0    0
```

```
A = rand(3) % 3*3 matrix with random elements
```

```
A =  
    0.2089    0.4685    0.7455  
    0.9052    0.9121    0.7363  
    0.6754    0.1040    0.5619
```

```
A = ones(3) % 3*3 matrix with all ones
```

```
A =  
    1    1    1  
    1    1    1  
    1    1    1
```

```
A = zeros(3) % 3*3 matrix with all zeros
```

```
A =  
    0    0    0  
    0    0    0  
    0    0    0
```

```
A = rand(3,2,3) % multi-dimensional array
```

```
A =  
  
(:,:,1) =  
  
    0.1842    0.1341  
    0.5972    0.2126  
    0.2999    0.8949
```

```
(:,:,2) =  
  
    0.0715    0.4417  
    0.2425    0.0133  
    0.0538    0.8972
```

```
(:,:3) =  
  
    0.1967    0.4561  
    0.0934    0.1017  
    0.3074    0.9954
```

```
A = eye(3) % 3*3 identity matrix
```

```
A =  
    1     0     0  
    0     1     0  
    0     0     1
```

```
A = eye(3,4) % 3*4 matrix whose diagonal elements are 1 and others are 0
```

```
A =  
    1     0     0     0  
    0     1     0     0  
    0     0     1     0
```

```
A = eye(4,2) % 4*2 matrix whose diagonal elements are 1 and others are 0
```

```
A =  
    1     0  
    0     1  
    0     0  
    0     0
```

```
A = eye(3,3,3) % doesn't work
```

Matrix operations, element-wise operations

In MATLAB, matrix operations are intuitive (and efficient).

```
A = rand(3,2)
```

```
A =  
    0.3321    0.2982  
    0.2973    0.0464  
    0.0620    0.5054
```

```
B = rand(2,4)
```

```
B =  
    0.7614    0.0899    0.7772    0.5338  
    0.6311    0.0809    0.9051    0.1092
```

```
A*B % matrix multiplication
```

```
ans =  
    0.4411    0.0540    0.5281    0.2098  
    0.2557    0.0305    0.2731    0.1638  
    0.3662    0.0464    0.5057    0.0883
```

```
B*A % doesn't work  
A+B % doesn't work  
A-B % doesn't work
```

The reason why the last three commands fail is that **A** and **B** have different sizes. But they do work if **B** and **A** have the same dimensions.

```
B = rand(3,2)
```

```
B =  
    0.8258    0.7463  
    0.3381    0.0103  
    0.2940    0.0484
```

```
A+B
```

```
ans =  
    1.1579    1.0446  
    0.6354    0.0567  
    0.3560    0.5539
```

```
A-B
```

```
ans =  
   -0.4937   -0.4481  
   -0.0408    0.0360  
   -0.2319    0.4570
```

```
A*B % doesn't work  
A.*B % element-wise multiplication
```

```
ans =  
    0.2742    0.2226  
    0.1005    0.0005  
    0.0182    0.0245
```

```
A./B % element-wise division
```

```
ans =  
    0.4021    0.3996  
    0.8795    4.4842  
    0.2111   10.4325
```

```
A/B % equivalent to mrdivide function, giving a solution C such that C*A = B
```

```
ans =  
    0.3995    0.0064         0  
    0.0517    0.7533         0  
    0.6983   -1.5221         0
```

```
C = A/B;  
C*B-A % output will be 0
```

```
ans =  
    1.0e-16 *  
         0   -0.5551  
         0    0.6245  
    0.6245         0
```

Size commands

The size of vectors, matrices, and multi-dimensional arrays can be retrieved by the following functions.

```
A = rand(3,2)
```

```
A =  
    0.6679    0.7297  
    0.6035    0.7073  
    0.5261    0.7814
```

```
size(A) % dimensions of A
```

```
ans =  
     3     2
```

```
size(A,1) % 1st dimension of A
```

```
ans = 3
```

```
size(A,2) % 2nd dimension of A
```

```
ans = 2
```

```
numel(A) % total number of elements
```

```
ans = 6
```

```
A = rand(3,1) % vector
```

```
A =  
    0.2880  
    0.6925  
    0.5567
```

```
size(A)
```

```
ans =  
     3     1
```

```
A = rand(3,2,3)
```

```
A =  
  
(:,:,1) =  
  
    0.3965    0.3376  
    0.0616    0.6079  
    0.7802    0.7413
```

```
(:,:,2) =  
  
    0.1048    0.4852  
    0.1279    0.8905  
    0.5495    0.7990
```

```
(:,:,3) =  
  
    0.7343    0.0885  
    0.0513    0.7984  
    0.0729    0.9430
```

```
size(A)
```

```
ans =  
     3     2     3
```

```
numel(A)
```

```
ans = 18
```

Transpose and Hermitian conjugation

```
A = rand(3,2)+1i*rand(3,2)
```

```
A =  
    0.6837 + 0.3288i    0.1104 + 0.5832i  
    0.1321 + 0.6538i    0.1175 + 0.7400i  
    0.7227 + 0.7491i    0.6407 + 0.2348i
```

```
A' % Hermitian conjugate
```

```
ans =  
    0.6837 - 0.3288i    0.1321 - 0.6538i    0.7227 - 0.7491i  
    0.1104 - 0.5832i    0.1175 - 0.7400i    0.6407 - 0.2348i
```

```
A.' % transpose
```

```
ans =  
    0.6837 + 0.3288i    0.1321 + 0.6538i    0.7227 + 0.7491i  
    0.1104 + 0.5832i    0.1175 + 0.7400i    0.6407 + 0.2348i
```

```
(1i)' % complex conjugate for a number
```

```
ans =  
    0.0000 - 1.0000i
```

Element-wise operations: bsxfun

With `bsxfun`, various binary operations between the elements of two arrays can be done efficiently. (See the documentation of `bsxfun` for the supported operations.) Basically, `bsxfun` is (almost) the same as the element-wise operations.

```
A = rand(3,4)
```

```
A =  
    0.7350    0.0862    0.6850    0.3677  
    0.9706    0.3664    0.5979    0.2060  
    0.8669    0.3692    0.7894    0.0867
```

```
B = rand(3,4)
```

```
B =  
    0.7719    0.5518    0.4845    0.1006  
    0.2057    0.2290    0.1518    0.2941  
    0.3883    0.6419    0.7819    0.2374
```

```
C = A.*B
```

```
C =
```



```

0.5673    0.0476    0.3319    0.0370
0.1996    0.0839    0.0908    0.0606
0.3366    0.2370    0.6172    0.0206

```

```
D = bsxfun(@times, A, B)
```

```

D =
    0.5673    0.0476    0.3319    0.0370
    0.1996    0.0839    0.0908    0.0606
    0.3366    0.2370    0.6172    0.0206

```

```
C-D
```

```

ans =
     0     0     0     0
     0     0     0     0
     0     0     0     0

```

The results are the same! Then why "almost"? For the MATLAB versions earlier than R2016b, the element-wise operations (e.g., `.*` and `./`) behaved differently from `bsxfun`, when the inputs are of different sizes. For the later versions of MATLAB (\geq R2016), the element-wise operations inherit the behavior of `bsxfun`.

```
A = (1:3).'
```

```

A =
     1
     2
     3

```

```
B = (1:4)
```

```

B =
     1     2     3     4

```

```
A.*B % For < R2016b, it cannot be done; for >= R2016a, it works
```

```

ans =
     1     2     3     4
     2     4     6     8
     3     6     9    12

```

```
bsxfun(@times, A, B) % bsxfun expands the array size
```

```

ans =
     1     2     3     4
     2     4     6     8
     3     6     9    12

```

Note that `bsxfun` expands the array size as needed. It is useful to replicate the arrays by adding a vector of zeros

```
bsxfun(@plus, A, zeros(1,3))
```

```

ans =
     1     1     1
     2     2     2
     3     3     3

```

```
A = rand(3,4)
```

```
A =
    0.5309    0.1048    0.2916    0.4325
    0.0915    0.1123    0.6035    0.6948
    0.4053    0.7844    0.9644    0.7581
```

```
bsxfun(@plus, A, zeros(1,1,2)) % works also for high-dimensional arrays
```

```
ans =

(:, :, 1) =

    0.5309    0.1048    0.2916    0.4325
    0.0915    0.1123    0.6035    0.6948
    0.4053    0.7844    0.9644    0.7581
```

```
(:, :, 2) =

    0.5309    0.1048    0.2916    0.4325
    0.0915    0.1123    0.6035    0.6948
    0.4053    0.7844    0.9644    0.7581
```

Accessing the elements and submatrices of matrices

We can access the elements and submatrices as follows. Note that the indexing in MATLAB starts from 1, not 0.

```
A = rand(5,5)
```

```
A =
    0.4326    0.2662    0.2729    0.6099    0.1253
    0.6555    0.7978    0.0372    0.0594    0.1302
    0.1098    0.4876    0.6733    0.3158    0.0924
    0.9338    0.7690    0.4296    0.7727    0.0078
    0.1875    0.3960    0.4517    0.6964    0.4231
```

```
A(1,3) % Element at row 1, column 3
```

```
ans = 0.2729
```

```
A(1,:) % Row vector at row 1 (':' means all possible indices)
```

```
ans =
    0.4326    0.2662    0.2729    0.6099    0.1253
```

```
A(:,3)
```

```
ans =
    0.2729
    0.0372
    0.6733
    0.4296
    0.4517
```

```
A(:, :)
```

```
ans =
    0.4326    0.2662    0.2729    0.6099    0.1253
    0.6555    0.7978    0.0372    0.0594    0.1302
    0.1098    0.4876    0.6733    0.3158    0.0924
```

0.9338	0.7690	0.4296	0.7727	0.0078
0.1875	0.3960	0.4517	0.6964	0.4231

```
A(:) % column vector with all the elements of A
```

```
ans =
0.4326
0.6555
0.1098
0.9338
0.1875
0.2662
0.7978
0.4876
0.7690
0.3960
:
:
```

```
A(0,1) % doesn't work (indexing starts from 1 in MATLAB)
```

```
A(2:3,3:5) % submatrix at the intersection of row 2-3 and column 3-5
```

```
ans =
0.0372    0.0594    0.1302
0.6733    0.3158    0.0924
```

```
A(2:3,3:end) % 'end' means the last index
```

```
ans =
0.0372    0.0594    0.1302
0.6733    0.3158    0.0924
```

```
A(1:2:5,2:4) % intersections of rows 1, 3, 5 with columns 2 to 4
```

```
ans =
0.2662    0.2729    0.6099
0.4876    0.6733    0.3158
0.3960    0.4517    0.6964
```

```
A(1:2:end,2:end) % intersections of rows 1,3,5 with columns 2 to 5
```

```
ans =
0.2662    0.2729    0.6099    0.1253
0.4876    0.6733    0.3158    0.0924
0.3960    0.4517    0.6964    0.4231
```

```
A(10,7) % doesn't work since the index is out of range
```

In the same way, we can substitute the values.

```
A = rand(5,5)
```

```
A =
0.6556    0.1265    0.1962    0.8929    0.0773
0.7229    0.1343    0.3175    0.7032    0.9138
0.5312    0.0986    0.3164    0.5557    0.7067
0.1088    0.1420    0.2176    0.1844    0.5578
0.6318    0.1683    0.2510    0.2120    0.3134
```

```
A(2,3) = 100 % substitute to a single element
```

```
A =
    0.6556    0.1265    0.1962    0.8929    0.0773
    0.7229    0.1343   100.0000    0.7032    0.9138
    0.5312    0.0986    0.3164    0.5557    0.7067
    0.1088    0.1420    0.2176    0.1844    0.5578
    0.6318    0.1683    0.2510    0.2120    0.3134
```

```
A(3:4,:) = 200 % substitute to two columns by the uniform value 200
```

```
A =
    0.6556    0.1265    0.1962    0.8929    0.0773
    0.7229    0.1343   100.0000    0.7032    0.9138
   200.0000   200.0000   200.0000   200.0000   200.0000
   200.0000   200.0000   200.0000   200.0000   200.0000
    0.6318    0.1683    0.2510    0.2120    0.3134
```

```
A(2:4,4:end) = 2 % substitute to a submatrix by the uniform value 2
```

```
A =
    0.6556    0.1265    0.1962    0.8929    0.0773
    0.7229    0.1343   100.0000    2.0000    2.0000
   200.0000   200.0000   200.0000    2.0000    2.0000
   200.0000   200.0000   200.0000    2.0000    2.0000
    0.6318    0.1683    0.2510    0.2120    0.3134
```

```
A(:) = 0 % substitute all the elements by 0
```

```
A =
     0     0     0     0     0
     0     0     0     0     0
     0     0     0     0     0
     0     0     0     0     0
     0     0     0     0     0
```

In addition to indexing as (row index, column index), linear indexing is also available. The linear index is 1 for the upper left corner elements. Then the index increases from top to bottom, then from left to right.

```
A = rand(3,3)
```

```
A =
    0.1662    0.1704    0.0740
    0.6225    0.2578    0.6841
    0.9879    0.3968    0.4024
```

```
A(1) % = A(1,1)
```

```
ans = 0.1662
```

```
A(3) % = A(3,1)
```

```
ans = 0.9879
```

```
A(4) % = A(4,1)
```

```
ans = 0.1704
```

```
B = A(:) % column vector with all the elements of A
```

```
B =
    0.1662
    0.6225
```

```
0.9879
0.1704
0.2578
0.3968
0.0740
0.6841
0.4024
```

```
B(1)
```

```
ans = 0.1662
```

```
B(3)
```

```
ans = 0.9879
```

```
B(4)
```

```
ans = 0.1704
```

The case of multi-dimensional array is consistent.

```
A = rand(3,2,3)
```

```
A =
```

```
(:,:,1) =
```

```
0.9828    0.1544
0.4022    0.3813
0.6207    0.1611
```

```
(:,:,2) =
```

```
0.7581    0.6855
0.8711    0.2941
0.3508    0.5306
```

```
(:,:,3) =
```

```
0.8324    0.2992
0.5975    0.4526
0.3353    0.4226
```

```
A(1)
```

```
ans = 0.9828
```

```
A(10)
```

```
ans = 0.6855
```

```
A(1, :, (1:2))
```

```
ans =
```

```
(:,:,1) =
```

```
0.9828    0.1544
```

```
(:,:,2) =  
0.7581    0.6855
```

Reshape and permute matrices

We can reshape matrices, which keeps the total number of elements while changing `size(A)`.

```
A = (1:9) % row vector
```

```
A =  
1     2     3     4     5     6     7     8     9
```

```
B = reshape(A,[3 3])
```

```
B =  
1     4     7  
2     5     8  
3     6     9
```

```
B(:) % same as A, except that B is column vector
```

```
ans =  
1  
2  
3  
4  
5  
6  
7  
8  
9
```

```
C = permute(B,[2 1]) % permute dimensions
```

```
C =  
1     2     3  
4     5     6  
7     8     9
```

```
B.' % for matrices, the permutation is the same as transpose
```

```
ans =  
1     2     3  
4     5     6  
7     8     9
```

Sum and product

The sum and the product of vectors, matrices, and multi-dimensional array can be obtained by the following.

```
sum(1:9) % sum the integers from 1 to 9
```

```
ans = 45
```

```
A = reshape((1:9),[3 3])
```

```
A =  
1     4     7
```

```
2    5    8
3    6    9
```

```
sum(A) % row vector whose elements are the sum of individual columns
```

```
ans =
     6    15    24
```

```
sum(A,2) % sum over the 2nd dimension (along rows) -> result: column vector
```

```
ans =
    12
    15
    18
```

```
sum(A,1) % the same as sum(A) for matrix A
```

```
ans =
     6    15    24
```

```
sum(sum(A)) % the sum of all the elements
```

```
ans = 45
```

```
sum(A(:)) % the same
```

```
ans = 45
```

```
prod(A) % row vector whose elements are the product of individual column
```

```
ans =
     6    120    504
```

```
prod(A,2)
```

```
ans =
    28
    80
   162
```

```
prod(A,1)
```

```
ans =
     6    120    504
```

```
prod(A(:))
```

```
ans = 362880
```

Eigenvalue and eigenvectors

One of the most important functions for physics is the eigendecomposition (sometimes it is called spectral decomposition also).

```
A = rand(3,3);
A = (A+A') % symmetrize
```

```
A =
    0.7192    0.9827    0.7670
    0.9827    0.8587    0.4151
```

```
0.7670    0.4151    0.6350
```

```
D = eig(A) % the vector of eigenvalues
```

```
D =  
-0.3195  
0.3171  
2.2153
```

```
[U,D] = eig(A) % spectral decomposition A = U*D*U'
```

```
U =  
-0.7682    0.0079    0.6401  
0.4999   -0.6173    0.6075  
0.4000    0.7867    0.4703  
D =  
-0.3195     0     0  
0    0.3171     0  
0     0    2.2153
```

U is the unitary matrix whose columns are eigenvectors, and D is the diagonal matrix whose diagonal elements are eigenvalues. Check the accuracy of the eigendecomposition.

```
U*D*U' - A % should be zero up to numerical double precision ~ 1e-16
```

```
ans =  
1.0e-15 *  
0.2220   -0.2220     0  
-0.3331   -0.4441   -0.2220  
0   -0.2220   -0.1110
```

```
U'*U % left-unitarity
```

```
ans =  
1.0000    0.0000   -0.0000  
0.0000    1.0000   -0.0000  
-0.0000   -0.0000    1.0000
```

```
U*U' % right-unitarity
```

```
ans =  
1.0000    0.0000    0.0000  
0.0000    1.0000   -0.0000  
0.0000   -0.0000    1.0000
```

Often, the zeros above and below the diagonal of D can be redundant. Then one may use:

```
[U,D] = eig(A, 'vector')
```

```
U =  
-0.7682    0.0079    0.6401  
0.4999   -0.6173    0.6075  
0.4000    0.7867    0.4703  
D =  
-0.3195  
0.3171  
2.2153
```

Singular value decomposition (SVD)

SVD is a key concept in the MPS methods. If the SVD is applied to the matrix whose elements are coefficient of bipartite quantum state, it provides the Schmidt decomposition.

```
A = rand(3,3)
```

```
A =
    0.6537    0.4579    0.7593
    0.9569    0.2405    0.7406
    0.9357    0.7639    0.7437
```

```
S = svd(A) % the vector of singular values in decreasing order
```

```
S =
    2.1449
    0.3465
    0.1652
```

```
[U,S,V] = svd(A) % Singular value decomposition A = U*S*V'
```

```
U =
   -0.5091   -0.0957    0.8554
   -0.5605    0.7910   -0.2452
   -0.6532   -0.6042   -0.4564
S =
    2.1449         0         0
         0    0.3465         0
         0         0    0.1652
V =
   -0.6902    0.3724   -0.6205
   -0.4042   -0.9096   -0.0963
   -0.6003    0.1843    0.7783
```

U is the unitary matrix whose columns are left-singular vectors, S is the diagonal matrix whose diagonal elements are singular values, and V is the unitary matrix whose columns are right-singular vectors.

```
U*S*V' - A % should be zero up to numerical double precision ~ 1e-16
```

```
ans =
    1.0e-15 *
   -0.3331   -0.0555    0.2220
   -0.5551    0.0278   -0.1110
   -0.4441   -0.2220   -0.1110
```

```
U*S*V - A % non-zero
```

```
ans =
    0.0286   -0.8083    0.0314
   -0.2136   -0.9449   -0.0526
    0.1610   -1.1090    0.0871
```

```
U*U' % identity; U is unitary
```

```
ans =
    1.0000    0.0000   -0.0000
    0.0000    1.0000    0.0000
   -0.0000    0.0000    1.0000
```

```
U'*U % identity; U is unitary
```

```
ans =
```

```

1.0000    0.0000   -0.0000
0.0000    1.0000    0.0000
-0.0000    0.0000    1.0000

```

```
V*V' % identity; V is unitary
```

```

ans =
1.0000   -0.0000   -0.0000
-0.0000    1.0000    0.0000
-0.0000    0.0000    1.0000

```

```
V'*V % identity; V is unitary
```

```

ans =
1.0000    0.0000    0.0000
0.0000    1.0000   -0.0000
0.0000   -0.0000    1.0000

```

Note that, similarly to `eig` function without `'vector'` option, the shape of `S` differs depending on how we request the output of `svd`. Contrary to the eigendecomposition, SVD is applicable to non-symmetric or non-Hermitian matrix, even to non-square matrix.

```
A = rand(4,3)
```

```

A =
0.1059    0.0985    0.6660
0.6816    0.8236    0.8944
0.4633    0.1750    0.5166
0.2122    0.1636    0.7027

```

```
S = svd(A) % three singular values
```

```

S =
1.7923
0.4750
0.2166

```

```
[U,S,V] = svd(A)
```

```

U =
-0.3382   -0.6451    0.2579   -0.6348
-0.7621    0.5680    0.3073   -0.0463
-0.3836   -0.0316   -0.9131   -0.1345
-0.3971   -0.5101    0.0726    0.7595
S =
1.7923     0     0
0    0.4750     0
0     0    0.2166
0     0     0
V =
-0.4559    0.4125   -0.7886
-0.4425    0.6638    0.6030
-0.7722   -0.6239    0.1201

```

Note that the sizes of `U`, `S`, and `V` are different.

```
U*S*V' - A
```

```

ans =
1.0e-14 *
-0.0139    0.0416    0.0777

```

```

0.0333    0.0333    0.1110
0.0111    0.0194    0.0333
0.0083    0.0167    0.0555

```

```
U*U' % identity; U is unitary
```

```

ans =
    1.0000    0.0000    0.0000    0.0000
    0.0000    1.0000    0.0000    0.0000
    0.0000    0.0000    1.0000    0.0000
    0.0000    0.0000    0.0000    1.0000

```

```
U'*U % identity; U is unitary
```

```

ans =
    1.0000    0.0000    0.0000    0.0000
    0.0000    1.0000   -0.0000    0.0000
    0.0000   -0.0000    1.0000   -0.0000
    0.0000    0.0000   -0.0000    1.0000

```

```
V*V' % identity; V is unitary
```

```

ans =
    1.0000    0.0000   -0.0000
    0.0000    1.0000    0.0000
   -0.0000    0.0000    1.0000

```

```
V'*V % identity; V is unitary
```

```

ans =
    1.0000   -0.0000   -0.0000
   -0.0000    1.0000   -0.0000
   -0.0000   -0.0000    1.0000

```

But we see that the last column of U is redundant, since it is associated with zero singular value. The 'econ' option of `svd` function makes the result compact, by removing redundant singular vectors.

```
[U,S,V] = svd(A,'econ')
```

```

U =
   -0.3382   -0.6451    0.2579
   -0.7621    0.5680    0.3073
   -0.3836   -0.0316   -0.9131
   -0.3971   -0.5101    0.0726
S =
    1.7923         0         0
         0    0.4750         0
         0         0    0.2166
V =
   -0.4559    0.4125   -0.7886
   -0.4425    0.6638    0.6030
   -0.7722   -0.6239    0.1201

```

```
U*S*V' - A % should be zero up to numerical double precision ~ 1e-16
```

```

ans =
    1.0e-14 *
   -0.0139    0.0416    0.0777
    0.0333    0.0333    0.1110
    0.0111    0.0194    0.0333
    0.0083    0.0167    0.0555

```

```
U*U' % not identity; U is left-unitary
```

```
ans =  
    0.5970    -0.0294    -0.0854    0.4821  
   -0.0294     0.9979    -0.0062    0.0352  
   -0.0854    -0.0062     0.9819    0.1022  
    0.4821     0.0352     0.1022    0.4232
```

```
U'*U % identity; U is left-unitary
```

```
ans =  
    1.0000     0.0000     0.0000  
    0.0000     1.0000    -0.0000  
    0.0000    -0.0000     1.0000
```

```
V*V' % identity; V is unitary
```

```
ans =  
    1.0000     0.0000    -0.0000  
    0.0000     1.0000     0.0000  
   -0.0000     0.0000     1.0000
```

```
V'*V % identity; V is unitary
```

```
ans =  
    1.0000    -0.0000    -0.0000  
   -0.0000     1.0000    -0.0000  
   -0.0000    -0.0000     1.0000
```

Consider another matrix which has different size from the above case.

```
A = rand(3,4);  
[U,S,V] = svd(A,'econ')
```

```
U =  
   -0.5613     0.5196    -0.6442  
   -0.4754    -0.8396    -0.2629  
   -0.6775     0.1587     0.7182  
S =  
    1.7088         0         0  
         0     0.8919         0  
         0         0     0.2064  
V =  
   -0.5302   -0.7118     0.1882  
   -0.5543     0.5055     0.6477  
   -0.4875     0.4164    -0.6628  
   -0.4172   -0.2536    -0.3252
```

```
U*S*V' - A % should be zero up to numerical double precision ~ 1e-16
```

```
ans =  
    1.0e-15 *  
         0     0.1110         0         0  
   -0.1110   -0.3608     0.1527     0.1110  
         0     0.3331         0     0.0555
```

```
U*U' % identity; U is unitary
```

```
ans =  
    1.0000    -0.0000     0.0000  
   -0.0000     1.0000     0.0000
```

```
0.0000    0.0000    1.0000
```

```
U'*U % identity; U is unitary
```

```
ans =  
    1.0000   -0.0000    0.0000  
   -0.0000    1.0000    0.0000  
    0.0000    0.0000    1.0000
```

```
V*V' % not identity; V is right-unitary
```

```
ans =  
    0.8232    0.0559   -0.1627    0.3405  
    0.0559    0.9823    0.0514   -0.1076  
   -0.1627    0.0514    0.8503    0.3133  
    0.3405   -0.1076    0.3133    0.3441
```

```
V'*V % identity; V is right-unitary
```

```
ans =  
    1.0000   -0.0000   -0.0000  
   -0.0000    1.0000    0.0000  
   -0.0000    0.0000    1.0000
```

QR decomposition

QR decomposition is used in transforming tensors into canonical forms.

```
A = rand(4,3)
```

```
A =  
    0.4151    0.9237    0.9211  
    0.1807    0.6537    0.7947  
    0.2554    0.9326    0.5774  
    0.0205    0.1635    0.4400
```

```
[Q,R] = qr(A) % QR decomposition A = Q*R
```

```
Q =  
   -0.7979    0.5851    0.0961    0.1083  
   -0.3474   -0.4260    0.4797   -0.6839  
   -0.4909   -0.6262   -0.5501    0.2537  
   -0.0395   -0.2900    0.6768    0.6755  
  
R =  
   -0.5202   -1.4285   -1.3119  
         0   -0.3694   -0.2888  
         0         0    0.4499  
         0         0         0
```

Q is 4-by-4 unitary matrix and R is 4-by-3 upper triangular matrix.

```
Q*R - A % should be zero up to numerical double precision ~ 1e-16
```

```
ans =  
    1.0e-15 *  
         0    0.1110    0.2220  
         0         0         0  
   -0.0555         0         0  
   -0.0035         0         0
```

```
Q*Q'
```

```
ans =
    1.0000    0.0000         0    0.0000
    0.0000    1.0000    0.0000   -0.0000
         0    0.0000    1.0000    0.0000
    0.0000   -0.0000    0.0000    1.0000
```

`Q'*Q`

```
ans =
    1.0000   -0.0000   -0.0000   -0.0000
   -0.0000    1.0000    0.0000         0
   -0.0000    0.0000    1.0000    0.0000
   -0.0000         0    0.0000    1.0000
```

Also there is a similar option as 'econ' in svd.

`[Q,R] = qr(A,0)`

```
Q =
   -0.7979    0.5851    0.0961
   -0.3474   -0.4260    0.4797
   -0.4909   -0.6262   -0.5501
   -0.0395   -0.2900    0.6768
R =
   -0.5202   -1.4285   -1.3119
         0   -0.3694   -0.2888
         0         0    0.4499
```

`Q*R - A`

```
ans =
    1.0e-15 *
         0    0.1110    0.1110
         0         0         0
   -0.0555         0    0.1110
   -0.0035         0         0
```

`Q*Q'`

```
ans =
    0.9883    0.0740   -0.0275   -0.0731
    0.0740    0.5323    0.1735    0.4619
   -0.0275    0.1735    0.9356   -0.1714
   -0.0731    0.4619   -0.1714    0.5437
```

`Q'*Q`

```
ans =
    1.0000   -0.0000   -0.0000
   -0.0000    1.0000    0.0000
   -0.0000    0.0000    1.0000
```

Cell array

Cell is a data type which can contain other general data types.

`A = cell(4,1) % [] means empty`

```
A =
    []
```

```
[]  
[]  
[]
```

```
A{1} = rand(3,2) % substitute matrix to a cell array element
```

```
A =  
[3×2 double]  
[]  
[]  
[]
```

```
A{2} = rand(4,1) % cell array elements can have different size
```

```
A =  
[3×2 double]  
[4×1 double]  
[]  
[]
```

```
A{4} = 'Hello' % even different data type
```

```
A =  
[3×2 double]  
[4×1 double]  
[]  
'Hello'
```

Accessing the elements or subarrays of cell array:

```
celldisp(A) % shows the content of cell array.
```

```
A{1} =  
  
0.2576    0.0642  
0.7519    0.7673  
0.2287    0.6712
```

```
A{2} =  
  
0.7152  
0.6421  
0.4190  
0.3908
```

```
A{3} =  
  
[]
```

```
A{4} =  
  
Hello
```

```
A{1} % curly bracket: read or access the "content" of cell
```

```
ans =
```

```
0.2576    0.0642
0.7519    0.7673
0.2287    0.6712
```

```
A(1) % round bracket: 1*1 sub-array of cell array
```

```
ans =
[3x2 double]
```

```
A(1) = rand(3,2) % doesn't work
A{1:3}
```

```
ans =
0.2576    0.0642
0.7519    0.7673
0.2287    0.6712
```

```
ans =
0.7152
0.6421
0.4190
0.3908
```

```
ans =

[]
```

```
A(1:3)
```

```
ans =
[3x2 double]
[4x1 double]
[]
```

```
A{1:3} = 1 % doesn't work
```

Multiple cells can be replaced with a 1*1 cell.

```
A(1:3) = {rand(2,2)}
```

```
A =
[2x2 double]
[2x2 double]
[2x2 double]
'Hello'
```

```
celldisp(A)
```

```
A{1} =
0.8161    0.8145
0.3174    0.7891
```

```
A{2} =
0.8161    0.8145
0.3174    0.7891
```

```
A{3} =
```



```
0.8161    0.8145
0.3174    0.7891
```

```
A{4} =
```

```
Hello
```

Cell array can be constructed by using the following syntax.

```
A = {rand(3,2), [1 2 3]; 'Hi', []}
```

```
A =
    [3×2 double]    [1×3 double]
    'Hi'            []
```

```
celldisp(A)
```

```
A{1,1} =
```

```
0.8523    0.9509
0.5056    0.4440
0.6357    0.0600
```

```
A{2,1} =
```

```
Hi
```

```
A{1,2} =
```

```
1      2      3
```

```
A{2,2} =
```

```
[]
```

```
A{2} = {rand(3,2), rand(2,1)}; % cell can contain another cell array
```

Reshaping and permuting work the same as numerical array.

```
B = reshape(A, [2 2])
```

```
B =
    [3×2 double]    [1×3 double]
    {1×2 cell }      []
```

```
B = B'
```

```
B =
    [3×2 double]    {1×2 cell}
    [1×3 double]      []
```

```
B = B.'
```

```
B =  
    [3×2 double]    [1×3 double]  
    {1×2 cell }      []
```

```
B = permute(B,[1 2])
```

```
B =  
    [3×2 double]    [1×3 double]  
    {1×2 cell }      []
```

Time counters

To measure computational cost, we need to check the elapsed time.

```
% real time counter  
tic  
rand(10,10)*rand(10,10);  
toc
```

Elapsed time is 0.004850 seconds.

```
% CPU time counter  
cput = cputime % elapsed CPU time after the current MATLAB session started
```

```
cput = 133.1400
```

```
rand(10,10)*rand(10,10);  
cputime - cput % difference in time (in seconds)
```

```
ans = 0
```

We see that usually the elapsed CPU time is larger than the elapsed real time, since MATLAB automatically parallelizes operations! For this course, we will use the customized time counters, `tic2` and `toc2`, written by Seung-Sup Lee. For example:

```
tobj = tic2;  
rand(10,10)*rand(10,10);  
toc2(tobj, '-v');
```

Elapsed time: 0.00915s, CPU time: 0.01s, Avg # of cores: 1.093

Logical variables and operations

In addition to double type and character type (shortly mentioned in the cell array section), there is also logical data type.

```
true % logical variable
```

```
ans =  
    1
```

```
false
```

```
ans =
```

```
0
```

```
double(true) % 1
```

```
ans = 1
```

```
double(false) % 0
```

```
ans = 0
```

```
A = true(3,2) % logical array is possible
```

```
A =  
    1    1  
    1    1  
    1    1
```

```
A'
```

```
ans =  
    1    1    1  
    1    1    1
```

```
2 > 1 % true
```

```
ans =  
    1
```

```
2 == 2 % true (== : the same)
```

```
ans =  
    1
```

```
2 ~= 2 % false (~= : not the same)
```

```
ans =  
    0
```

```
2 >= 1 % true (>= : left is larger than or the same as right)
```

```
ans =  
    1
```

```
2 <= 1 % false (<= : left is smaller than or the same as right)
```

```
ans =  
    0
```

```
0 > 1 % false
```

```
ans =  
    0
```

```
~(2 > 1) % logical NOT operation
```

```
ans =  
    0
```

```
(2 > 1) && (3 > 1) % logical AND operation
```

```
ans =
```

```
1
```

```
(2 > 1) && (0 > 1)
```

```
ans =  
0
```

```
(2 > 1) || (3 > 1) % logical OR operation
```

```
ans =  
1
```

```
(2 > 1) || (0 > 1)
```

```
ans =  
1
```

Logical variables also can constitute an array.

```
true(3,3)
```

```
ans =  
1 1 1  
1 1 1  
1 1 1
```

The array of logical variables is useful in various operations. For example, we can extract the subvector or submatrix whose elements satisfy certain condition, e.g., being larger than 0.5.

```
A = rand(1,6)
```

```
A =  
0.9462 0.9064 0.3927 0.0249 0.6714 0.8372
```

```
B = (A > 0.5) % logical vector
```

```
B =  
1 1 0 0 1 1
```

```
A(B) % only the elements of A larger than 0.5
```

```
ans =  
0.9462 0.9064 0.6714 0.8372
```

```
C = find(B) % indices of B which is true
```

```
C =  
1 2 5 6
```

```
A(C) % the same as A(B), but A(B) is faster
```

```
ans =  
0.9462 0.9064 0.6714 0.8372
```

```
A = rand(4,3)
```

```
A =  
0.9715 0.6866 0.3738  
0.0569 0.7194 0.5816  
0.4503 0.6500 0.1161
```

0.5825 0.7269 0.0577

```
B = (A > 0.5) % logical 4*3 matrix
```

```
B =  
 1  1  0  
 0  1  1  
 0  1  0  
 1  1  0
```

```
A(B) % the vector of the elements of A larger than 0.5
```

```
ans =  
 0.9715  
 0.5825  
 0.6866  
 0.7194  
 0.6500  
 0.7269  
 0.5816
```

```
C = find(B) % indices of B which is true (linear indexing)
```

```
C =  
 1  
 4  
 5  
 6  
 7  
 8  
10
```

```
A(C) % the same as A(B), but A(B) is faster
```

```
ans =  
 0.9715  
 0.5825  
 0.6866  
 0.7194  
 0.6500  
 0.7269  
 0.5816
```

Conditional operations: if and switch

if statement checks whether the following expression is **true** or **false**, and execute the following commands until **else** or **end** appear.

```
A = 1;  
if A > 0  
    A = A+1; % will happen  
end
```

elseif is also available.

```
A = 1;  
if A < 2  
    A = A+1; % will happen  
else
```

```

    A = A-1; % not happen
end

A = 3;
if A > 5
    A = A+1; % not happen
elseif A > 2
    A = 2*A; % will happen
else
    A = A-1; % not happen
end

```

Note that for the above if-elseif-else, only one of commands will be executed. `switch` checks the value of a variable (e.g., `A` here) and execute the commands for matching case (only one case at most).

```

A = 3;
switch A
    case 1
        B = 1; % will happen
    case 2
        B = 0; % not happen
    otherwise % if A does not match with anyone above with 'case'
        B = 100; % not happen
end

```

For-loops

Below we substitute to the elements to `A` with the value as the triple of index.

```

A = zeros(3,1);
for it = (1:3)
    A(it) = it*3;
end
A

```

```

A =
     3
     6
     9

```

For-loops can be nested.

```

A = zeros(3,2);
for it1 = (1:size(A,1))
    for it2 = (1:size(A,2))
        A(it1,it2) = it1*2+it2;
    end
end
A

```

```

A =
     3     4
     5     6
     7     8

```

Try to avoid for-loops as possible, and use linear algebra operations instead! MATLAB consists of multiple parts: it uses LAPACK or its relatives for low-level operations (e.g., linear algebra operations), and uses Java for high-level operations (e.g., for-loops, drawing figures). Of course, the former is much faster, since it has less computational overhead and can be better parallelized.

```
A = rand(10,8);
B = rand(8,10);

tobj = tic2;
C = A*B % matrix multiplication (MATLAB built-in)
```

```
C =
    1.7597    1.9596    2.1432    2.4057    2.3326    2.4738    2.7148    3.0952 ...
    2.0984    2.0200    1.9520    2.5995    2.3387    2.1973    2.8478    3.2856
    1.4514    1.8086    1.6312    2.2225    1.9974    2.1605    2.2445    2.3587
    1.5119    1.0145    1.5143    2.0740    1.6276    2.2650    1.6729    2.3354
    1.6831    1.3274    1.4765    1.9202    1.6295    2.1092    1.5330    1.9510
    1.7213    2.0461    1.8258    2.3540    1.9943    1.9533    2.1789    2.8650
    2.6987    1.9365    2.3686    2.7626    2.6811    2.8285    3.0705    3.5735
    2.0577    2.3534    2.1168    3.0009    2.0440    2.6342    2.5307    3.4926
    2.0761    1.3928    1.3762    2.9632    2.0501    2.5720    2.0930    2.8529
    1.6230    1.6385    1.0333    2.2626    1.2652    1.8985    1.9568    1.8901
```

```
toc2(tobj, '-v');
```

Elapsed time: 0.008142s, CPU time: 0.01s, Avg # of cores: 1.228

```
tobj = tic2;
% 'manual' implementation of matrix multiplication using for-loops
D = zeros(size(A,1),size(B,2));
for it1 = (1:size(A,1))
    for it2 = (1:size(B,2))
        for it3 = (1:size(A,2))
            D(it1,it2) = D(it1,it2) + A(it1,it3)*B(it3,it2);
        end
    end
end
toc2(tobj, '-v') % much longer time!
```

Elapsed time: 0.1228s, CPU time: 0.22s, Avg # of cores: 1.791
ans = 0.1228

```
D - A*B % results are the same
```

```
ans =
    1.0e-15 * ...
         0   -0.4441   -0.4441         0         0    0.4441         0    0.4441
    0.4441         0         0         0    0.4441         0         0   -0.4441
         0         0   -0.2220    0.4441         0         0         0         0
         0         0         0         0         0         0         0   -0.4441
   -0.2220         0         0         0         0         0         0         0
         0         0    0.2220         0         0   -0.2220   -0.4441   -0.4441
         0   -0.2220         0         0         0         0         0    0.4441
    0.4441    0.4441         0    0.4441   -0.4441    0.4441         0         0
   -0.8882         0         0         0         0         0         0         0
         0         0         0         0         0         0         0         0
```

Save and load

One can save the variables into .mat file, which is the MATLAB format of saving numerical data, with `save` function.

```
clear % clear variables
A = rand(3,4);
save('test.mat','A') % creates test.mat in the current working directory
```

Beware of wrapping the names of file and variables with ' ', to treat them as char array. When variable names are not specified, `save` function saves all the variables in the workspace. Also, you can specify the absolute path of the .mat file.

```
whos('-file','test.mat') % data in 'test.mat'
```

Name	Size	Bytes	Class	Attributes
A	3x4	96	double	

To add variables, set '-append' option.

```
B = rand(1,2);
save('test.mat','B','-append')
whos('-file','test.mat')
```

Name	Size	Bytes	Class	Attributes
A	3x4	96	double	
B	1x2	16	double	

If variables of size larger than 2GB need to be saved, then use '-v7.3' option.

```
save('test.mat','-v7.3')
```

On the other hand, one can load the variables from .mat files.

```
clear
load('test.mat') % load all variable
whos
```

Name	Size	Bytes	Class	Attributes
A	3x4	96	double	
B	1x2	16	double	

```
clear
load('test.mat','A') % load A only
whos
```

Name	Size	Bytes	Class	Attributes
A	3x4	96	double	

Other functionalities

MATLAB provides **much more** functionalities beyond what we have explained above. To explore them, use the MATLAB documentation. You can see the documentation page of e.g., eig, by (i) typing in the command window:

```
help svd
```

```
svd    Singular value decomposition.
[U,S,V] = svd(X) produces a diagonal matrix S, of the same
dimension as X and with nonnegative diagonal elements in
decreasing order, and unitary matrices U and V so that
X = U*S*V'.

S = svd(X) returns a vector containing the singular values.

[U,S,V] = svd(X,0) produces the "economy size"
decomposition. If X is m-by-n with m > n, then only the
first n columns of U are computed and S is n-by-n.
For m <= n, svd(X,0) is equivalent to svd(X).

[U,S,V] = svd(X,'econ') also produces the "economy size"
decomposition. If X is m-by-n with m >= n, then it is
equivalent to svd(X,0). For m < n, only the first m columns
of V are computed and S is m-by-m.

See also svds, gsvd.

Reference page for svd
Other functions named svd
```

or by (ii) select a text eig in the command window or the editor window and press F1. Of course, as MATLAB is very popular tool, there are many useful websites, blogs, books, forums, etc. If you have any question, simply search it from internet!